

## MEXICO, Mexico City, paediatric (1997-2013)

	Number of cases					Percentage		Incidence rates per million person-years					MV % 0-14	DCO % 0-14	
	Age group					0-14		Age-specific							
	0	1-4	5-9	10-14	0-14	All	Group	0	1-4	5-9	10-14	0-14			ASR
<b>I LEUKAEMIA</b>	31	292	212	171	<b>706</b>	45.3	100.0	50.8	90.0	51.6	43.1	<b>61.6</b>	893	100.0	0.0
a. Lymphoid	24	247	182	126	<b>579</b>	37.1	82.0	39.3	76.2	44.3	31.8	<b>50.7</b>	732	100.0	0.0
b. Acute myeloid	4	39	25	40	<b>108</b>	6.9	15.3	6.5	12.0	6.1	10.1	<b>9.2</b>	137	100.0	0.0
c. CMD	1	3	3	3	<b>10</b>	0.6	1.4	1.6	0.9	0.7	0.8	<b>0.9</b>	13	100.0	0.0
d. MDS & other	1	2	0	1	<b>4</b>	0.3	0.6	1.6	0.6	-	0.3	<b>0.4</b>	5	100.0	0.0
e. Unspecified	1	1	2	1	<b>5</b>	0.3	0.7	1.6	0.3	0.5	0.3	<b>0.4</b>	6	100.0	0.0
<b>II LYMPHOMA &amp; RELATED</b>	10	42	59	67	<b>178</b>	11.4	100.0	16.4	12.9	14.4	16.9	<b>14.8</b>	224	99.4	0.0
a. Hodgkin	0	5	14	25	<b>44</b>	2.8	24.7	-	1.5	3.4	6.3	<b>3.4</b>	55	100.0	0.0
b. Non-Hodgkin except BL	0	23	30	32	<b>85</b>	5.4	47.8	-	7.1	7.3	8.1	<b>7.0</b>	107	100.0	0.0
c. Burkitt (BL)	1	3	12	8	<b>24</b>	1.5	13.5	1.6	0.9	2.9	2.0	<b>1.9</b>	30	100.0	0.0
d. Lymphoreticular	9	10	1	1	<b>21</b>	1.3	11.8	14.7	3.1	0.2	0.3	<b>2.1</b>	27	100.0	0.0
e. Unspecified	0	1	2	1	<b>4</b>	0.3	2.2	-	0.3	0.5	0.3	<b>0.3</b>	5	75.0	0.0
<b>III CNS NEOPLASMS †</b>	10	74	79	58	<b>221</b>	14.2	100.0	16.4	22.8	19.2	14.6	<b>18.9</b>	278	93.2	0.0
a. Ependymoma	1	13	11	9	<b>34</b>	2.2	15.4	1.6	4.0	2.7	2.3	<b>2.9</b>	43	97.1	0.0
b. Astrocytoma	4	27	35	29	<b>95</b>	6.1	43.0	6.5	8.3	8.5	7.3	<b>8.0</b>	119	93.7	0.0
c. CNS embryonal	3	25	20	15	<b>63</b>	4.0	28.5	4.9	7.7	4.9	3.8	<b>5.5</b>	80	95.2	0.0
d. Other gliomas	0	1	6	2	<b>9</b>	0.6	4.1	-	0.3	1.5	0.5	<b>0.7</b>	11	66.7	0.0
e. Other specified	2	6	6	3	<b>17</b>	1.1	7.7	3.3	1.8	1.5	0.8	<b>1.5</b>	21	100.0	0.0
f. Unspecified CNS	0	2	1	0	<b>3</b>	0.2	1.4	-	0.6	0.2	-	<b>0.3</b>	4	33.3	0.0
<b>IV NEUROBLASTOMA</b>	14	17	5	0	<b>36</b>	2.3	100.0	22.9	5.2	1.2	-	<b>3.5</b>	46	100.0	0.0
a. (Ganglio)neuroblastoma	14	17	5	0	<b>36</b>	2.3	100.0	22.9	5.2	1.2	-	<b>3.5</b>	46	100.0	0.0
b. Peripheral nervous	0	0	0	0	<b>0</b>	-	-	-	-	-	-	<b>-</b>	-	-	-
<b>V RETINOBLASTOMA</b>	6	39	1	0	<b>46</b>	2.9	100.0	9.8	12.0	0.2	-	<b>4.6</b>	60	97.8	0.0
<b>VI RENAL TUMOURS</b>	6	29	14	6	<b>55</b>	3.5	100.0	9.8	8.9	3.4	1.5	<b>5.1</b>	70	100.0	0.0
a. Nephroblastoma	6	29	14	6	<b>55</b>	3.5	100.0	9.8	8.9	3.4	1.5	<b>5.1</b>	70	100.0	0.0
b. Renal carcinoma	0	0	0	0	<b>0</b>	-	-	-	-	-	-	<b>-</b>	-	-	-
c. Unspecified	0	0	0	0	<b>0</b>	-	-	-	-	-	-	<b>-</b>	-	-	-
<b>VII HEPATIC TUMOURS</b>	6	22	4	2	<b>34</b>	2.2	100.0	9.8	6.8	1.0	0.5	<b>3.3</b>	44	100.0	0.0
a. Hepatoblastoma	6	22	3	0	<b>31</b>	2.0	91.2	9.8	6.8	0.7	-	<b>3.0</b>	40	100.0	0.0
b. Hepatic carcinoma	0	0	1	2	<b>3</b>	0.2	8.8	-	-	0.2	0.5	<b>0.2</b>	4	100.0	0.0
c. Unspecified	0	0	0	0	<b>0</b>	-	-	-	-	-	-	<b>-</b>	-	-	-
<b>VIII BONE TUMOURS</b>	0	9	25	50	<b>84</b>	5.4	100.0	-	2.8	6.1	12.6	<b>6.5</b>	105	100.0	0.0
a. Osteosarcoma	0	6	17	35	<b>58</b>	3.7	69.0	-	1.8	4.1	8.8	<b>4.5</b>	73	100.0	0.0
b. Chondrosarcoma	0	0	0	1	<b>1</b>	0.1	1.2	-	-	-	0.3	<b>0.1</b>	1	100.0	0.0
c. Ewing & related	0	3	5	13	<b>21</b>	1.3	25.0	-	0.9	1.2	3.3	<b>1.6</b>	26	100.0	0.0
d. Other specified	0	0	2	1	<b>3</b>	0.2	3.6	-	-	0.5	0.3	<b>0.2</b>	4	100.0	0.0
e. Unspecified	0	0	1	0	<b>1</b>	0.1	1.2	-	-	0.2	-	<b>0.1</b>	1	100.0	0.0
<b>IX SOFT TISSUE SARCOMA</b>	3	21	23	31	<b>78</b>	5.0	100.0	4.9	6.5	5.6	7.8	<b>6.5</b>	98	100.0	0.0
a. Rhabdomyosarcoma	2	13	13	11	<b>39</b>	2.5	50.0	3.3	4.0	3.2	2.8	<b>3.3</b>	49	100.0	0.0
b. Fibrosarcoma	1	3	3	3	<b>10</b>	0.6	12.8	1.6	0.9	0.7	0.8	<b>0.9</b>	13	100.0	0.0
c. Kaposi sarcoma	0	0	0	0	<b>0</b>	-	-	-	-	-	-	<b>-</b>	-	-	-
d. Other specified	0	5	7	17	<b>29</b>	1.9	37.2	-	1.5	1.7	4.3	<b>2.3</b>	36	100.0	0.0
e. Unspecified	0	0	0	0	<b>0</b>	-	-	-	-	-	-	<b>-</b>	-	-	-
<b>X GERM CELL TUMOURS</b>	8	24	11	61	<b>104</b>	6.7	100.0	13.1	7.4	2.7	15.4	<b>8.5</b>	132	100.0	0.0
a. CNS germ cell	1	1	5	17	<b>24</b>	1.5	23.1	1.6	0.3	1.2	4.3	<b>1.8</b>	30	100.0	0.0
b. Other extragonadal	1	2	0	3	<b>6</b>	0.4	5.8	1.6	0.6	-	0.8	<b>0.5</b>	8	100.0	0.0
c. Gonadal germ cell	6	21	6	40	<b>73</b>	4.7	70.2	9.8	6.5	1.5	10.1	<b>6.1</b>	93	100.0	0.0
d. Gonadal carcinoma	0	0	0	0	<b>0</b>	-	-	-	-	-	-	<b>-</b>	-	-	-
e. Unspecified gonadal	0	0	0	1	<b>1</b>	0.1	1.0	-	-	-	0.3	<b>0.1</b>	1	100.0	0.0
<b>XI CARCINOMA &amp; MELANOMA</b>	0	2	6	9	<b>17</b>	1.1	100.0	-	0.6	1.5	2.3	<b>1.3</b>	21	100.0	0.0
a. Adrenocortical	0	1	0	1	<b>2</b>	0.1	11.8	-	0.3	-	0.3	<b>0.2</b>	3	100.0	0.0
b. Thyroid	0	0	4	7	<b>11</b>	0.7	64.7	-	-	1.0	1.8	<b>0.8</b>	14	100.0	0.0
c. Nasopharyngeal	0	0	0	1	<b>1</b>	0.1	5.9	-	-	-	0.3	<b>0.1</b>	1	100.0	0.0
d. Melanoma	0	1	1	0	<b>2</b>	0.1	11.8	-	0.3	0.2	-	<b>0.2</b>	3	100.0	0.0
e. Skin carcinoma	0	0	0	0	<b>0</b>	-	-	-	-	-	-	<b>-</b>	-	-	-
f. Other & unspecified	0	0	1	0	<b>1</b>	0.1	5.9	-	-	0.2	-	<b>0.1</b>	1	100.0	0.0
<b>XII OTHER &amp; UNSPECIFIED</b>	0	0	0	1	<b>1</b>	0.1	100.0	-	-	-	0.3	<b>0.1</b>	1	100.0	0.0
a. Other specified	0	0	0	1	<b>1</b>	0.1	100.0	-	-	-	0.3	<b>0.1</b>	1	100.0	0.0
b. Other unspecified	0	0	0	0	<b>0</b>	-	-	-	-	-	-	<b>-</b>	-	-	-
<b>TOTAL</b>	94	571	439	456	<b>1560</b>	100.0	100.0	153.9	176.1	106.9	115.1	<b>134.7</b>	1973	98.9	0.0

† includes 15 non-malignant

Please consult the quality indicators for this registry

## MEXICO, Mexico City, paediatric (1997-2013)

	Males						M/F ratio	Females					
	Number of cases in age groups					ASR per million		0-14	Number of cases in age groups				ASR per million
	0	1-4	5-9	10-14	0-14				0	1-4	5-9	10-14	
<b>I LEUKAEMIA</b>	17	174	118	73	382	66.2	1.2	14	118	94	98	324	56.8
a. Lymphoid	13	151	103	54	321	55.9	1.2	11	96	79	72	258	45.4
b. Acute myeloid	2	21	13	16	52	8.8	0.9	2	18	12	24	56	9.6
c. CMD	0	1	1	3	5	0.8	1.0	1	2	2	0	5	0.9
d. MDS & other	1	1	0	0	2	0.4	1.0	0	1	0	1	2	0.4
e. Unspecified	1	0	1	0	2	0.4	0.7	0	1	1	1	3	0.5
<b>II LYMPHOMA &amp; RELATED</b>	5	26	47	44	122	19.7	2.2	5	16	12	23	56	9.7
a. Hodgkin	0	4	13	17	34	5.2	3.4	0	1	1	8	10	1.6
b. Non-Hodgkin except BL	0	15	23	19	57	9.2	2.0	0	8	7	13	28	4.7
c. Burkitt (BL)	0	1	8	6	15	2.3	1.7	1	2	4	2	9	1.6
d. Lymphoreticular	5	5	1	1	12	2.3	1.3	4	5	0	0	9	1.9
e. Unspecified	0	1	2	1	4	0.6	-	0	0	0	0	0	-
<b>III CNS NEOPLASMS †</b>	8	42	31	37	118	19.9	1.1	2	32	48	21	103	17.8
a. Ependymoma	1	6	6	3	16	2.7	0.9	0	7	5	6	18	3.1
b. Astrocytoma	3	14	12	21	50	8.2	1.1	1	13	23	8	45	7.8
c. CNS embryonal	2	18	12	12	44	7.5	2.3	1	7	8	3	19	3.4
d. Other gliomas	0	1	0	0	1	0.2	0.1	0	0	6	2	8	1.3
e. Other specified	2	2	1	1	6	1.1	0.5	0	4	5	2	11	1.9
f. Unspecified CNS	0	1	0	0	1	0.2	0.5	0	1	1	0	2	0.4
<b>IV NEUROBLASTOMA</b>	6	7	2	0	15	2.9	0.7	8	10	3	0	21	4.2
a. (Ganglio)neuroblastoma	6	7	2	0	15	2.9	0.7	8	10	3	0	21	4.2
b. Peripheral nervous	0	0	0	0	0	-	-	0	0	0	0	0	-
<b>V RETINOBLASTOMA</b>	5	19	1	0	25	4.9	1.2	1	20	0	0	21	4.3
<b>VI RENAL TUMOURS</b>	5	13	8	3	29	5.2	1.1	1	16	6	3	26	4.9
a. Nephroblastoma	5	13	8	3	29	5.2	1.1	1	16	6	3	26	4.9
b. Renal carcinoma	0	0	0	0	0	-	-	0	0	0	0	0	-
c. Unspecified	0	0	0	0	0	-	-	0	0	0	0	0	-
<b>VII HEPATIC TUMOURS</b>	0	18	1	1	20	3.8	1.4	6	4	3	1	14	2.7
a. Hepatoblastoma	0	18	1	0	19	3.7	1.6	6	4	2	0	12	2.4
b. Hepatic carcinoma	0	0	0	1	1	0.1	0.5	0	0	1	1	2	0.3
c. Unspecified	0	0	0	0	0	-	-	0	0	0	0	0	-
<b>VIII BONE TUMOURS</b>	0	4	10	28	42	6.4	1.0	0	5	15	22	42	6.7
a. Osteosarcoma	0	2	7	19	28	4.2	0.9	0	4	10	16	30	4.8
b. Chondrosarcoma	0	0	0	0	0	-	0.0	0	0	0	1	1	0.1
c. Ewing & related	0	2	3	9	14	2.2	2.0	0	1	2	4	7	1.1
d. Other specified	0	0	0	0	0	-	0.0	0	0	2	1	3	0.5
e. Unspecified	0	0	0	0	0	-	0.0	0	0	1	0	1	0.2
<b>IX SOFT TISSUE SARCOMA</b>	1	7	14	14	36	5.7	0.9	2	14	9	17	42	7.3
a. Rhabdomyosarcoma	0	5	9	6	20	3.2	1.1	2	8	4	5	19	3.4
b. Fibrosarcoma	1	0	1	1	3	0.5	0.4	0	3	2	2	7	1.2
c. Kaposi sarcoma	0	0	0	0	0	-	-	0	0	0	0	0	-
d. Other specified	0	2	4	7	13	2.0	0.8	0	3	3	10	16	2.6
e. Unspecified	0	0	0	0	0	-	-	0	0	0	0	0	-
<b>X GERM CELL TUMOURS</b>	6	21	5	27	59	10.0	1.3	2	3	6	34	45	7.1
a. CNS germ cell	1	0	5	13	19	2.8	3.8	0	1	0	4	5	0.8
b. Other extragonadal	0	1	0	3	4	0.6	2.0	1	1	0	0	2	0.4
c. Gonadal germ cell	5	20	0	11	36	6.5	1.0	1	1	6	29	37	5.7
d. Gonadal carcinoma	0	0	0	0	0	-	-	0	0	0	0	0	-
e. Unspecified gonadal	0	0	0	0	0	-	0.0	0	0	0	1	1	0.1
<b>XI CARCINOMA &amp; MELANOMA</b>	0	0	3	4	7	1.0	0.7	0	2	3	5	10	1.6
a. Adrenocortical	0	0	0	1	1	0.1	1.0	0	1	0	0	1	0.2
b. Thyroid	0	0	1	2	3	0.4	0.4	0	0	3	5	8	1.2
c. Nasopharyngeal	0	0	0	1	1	0.1	-	0	0	0	0	0	-
d. Melanoma	0	0	1	0	1	0.2	1.0	0	1	0	0	1	0.2
e. Skin carcinoma	0	0	0	0	0	-	-	0	0	0	0	0	-
f. Other & unspecified	0	0	1	0	1	0.2	-	0	0	0	0	0	-
<b>XII OTHER &amp; UNSPECIFIED</b>	0	0	0	0	0	-	0.0	0	0	0	1	1	0.1
a. Other specified	0	0	0	0	0	-	0.0	0	0	0	1	1	0.1
b. Other unspecified	0	0	0	0	0	-	-	0	0	0	0	0	-
<b>TOTAL</b>	53	331	240	231	855	145.7	1.2	41	240	199	225	705	123.2

† includes 6 non-malignant in males and 9 non-malignant in females

Please consult the quality indicators for this registry

## MEXICO, Mexico City, paediatric (1997-2013)

	Age group	Males	Females
Person-years	0	314 088	296 612
	1-4	1 657 299	1 586 068
	5-9	2 093 030	2 012 494
	10-14	2 012 812	1 950 610
Total	0-14	6 077 229	5 845 784
Average annual population	0-14	357 484	343 870

Please consult the quality indicators for this registry

International Incidence of Childhood Cancer Volume III <http://iicc.iarc.fr/results>