

GREECE, Paediatric specialized (1996-2009)

	Number of cases					Percentage		Incidence rates per million person-years					MV	DCO	
	0	1-4	5-9	Age group	0-14	0-14		Age-specific				Cumulative	%	%	
				10-14		All	Group	0	1-4	5-9	10-14				0-14
I LEUKAEMIA	45	562	312	211	1130	73.6	100.0	30.4	94.8	39.9	25.0	51.9	734	100.0	0.0
a. Lymphoid	26	515	274	164	979	63.8	86.6	17.6	86.8	35.1	19.5	45.2	638	100.0	0.0
b. Acute myeloid	16	41	29	38	124	8.1	11.0	10.8	6.9	3.7	4.5	5.5	80	100.0	0.0
c. CMD	0	3	6	3	12	0.8	1.1	-	0.5	0.8	0.4	0.5	8	100.0	0.0
d. MDS & other	1	1	0	0	2	0.1	0.2	0.7	0.2	-	-	0.1	1	100.0	0.0
e. Unspecified	2	2	3	6	13	0.8	1.2	1.4	0.3	0.4	0.7	0.5	8	100.0	0.0
II LYMPHOMA & RELATED	0	60	144	197	401	26.1	100.0	-	10.1	18.4	23.4	15.9	250	100.0	0.0
a. Hodgkin	0	10	42	112	164	10.7	40.9	-	1.7	5.4	13.3	6.1	100	100.0	0.0
b. Non-Hodgkin except BL	0	14	61	59	134	8.7	33.4	-	2.4	7.8	7.0	5.3	83	100.0	0.0
c. Burkitt (BL)	0	36	41	26	103	6.7	25.7	-	6.1	5.2	3.1	4.5	66	100.0	0.0
d. Lymphoreticular	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-
e. Unspecified	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-
III CNS NEOPLASMS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Ependymoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Astrocytoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. CNS embryonal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d. Other gliomas	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f. Unspecified CNS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IV NEUROBLASTOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. (Ganglio)neuroblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Peripheral nervous	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V RETINOBLASTOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI RENAL TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Nephroblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Renal carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII HEPATIC TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Hepatoblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Hepatic carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII BONE TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Osteosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Chondrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Ewing & related	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX SOFT TISSUE SARCOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Rhabdomyosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Fibrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Kaposi sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X GERM CELL TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. CNS germ cell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Other extragonadal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Gonadal germ cell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d. Gonadal carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Unspecified gonadal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI CARCINOMA & MELANOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Adrenocortical	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Nasopharyngeal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d. Melanoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Skin carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f. Other & unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII OTHER & UNSPECIFIED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Other unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Please consult the quality indicators for this registry

GREECE, Paediatric specialized (1996-2009)

	Males						M/F ratio		Females					
	Number of cases in age groups					ASR per million 0-14	0-14	0-14	Number of cases in age groups				ASR per million 0-14	
	0	1-4	5-9	10-14	0-14				0	1-4	5-9	10-14		0-14
I LEUKAEMIA	26	305	180	123	634	56.6	1.3	19	257	132	88	496	46.9	
a. Lymphoid	15	286	155	103	559	50.2	1.3	11	229	119	61	420	40.0	
b. Acute myeloid	8	16	19	15	58	5.0	0.9	8	25	10	23	66	6.0	
c. CMD	0	2	3	2	7	0.6	1.4	0	1	3	1	5	0.4	
d. MDS & other	1	1	0	0	2	0.2	-	0	0	0	0	0	-	
e. Unspecified	2	0	3	3	8	0.6	1.6	0	2	0	3	5	0.4	
II LYMPHOMA & RELATED	0	49	113	123	285	22.4	2.5	0	11	31	74	116	9.0	
a. Hodgkin	0	8	33	61	102	7.6	1.6	0	2	9	51	62	4.6	
b. Non-Hodgkin except BL	0	12	41	44	97	7.5	2.6	0	2	20	15	37	3.0	
c. Burkitt (BL)	0	29	39	18	86	7.3	5.1	0	7	2	8	17	1.5	
d. Lymphoreticular	0	0	0	0	0	-	-	0	0	0	0	0	-	
e. Unspecified	0	0	0	0	0	-	-	0	0	0	0	0	-	
III CNS NEOPLASMS	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Ependymoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Astrocytoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. CNS embryonal	-	-	-	-	-	-	-	-	-	-	-	-	-	
d. Other gliomas	-	-	-	-	-	-	-	-	-	-	-	-	-	
e. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	
f. Unspecified CNS	-	-	-	-	-	-	-	-	-	-	-	-	-	
IV NEUROBLASTOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. (Ganglio)neuroblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Peripheral nervous	-	-	-	-	-	-	-	-	-	-	-	-	-	
V RETINOBLASTOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI RENAL TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Nephroblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Renal carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII HEPATIC TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Hepatoblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Hepatic carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII BONE TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Osteosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Chondrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Ewing & related	-	-	-	-	-	-	-	-	-	-	-	-	-	
d. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	
e. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
IX SOFT TISSUE SARCOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Rhabdomyosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Fibrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Kaposi sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
d. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	
e. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
X GERM CELL TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. CNS germ cell	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Other extragonadal	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Gonadal germ cell	-	-	-	-	-	-	-	-	-	-	-	-	-	
d. Gonadal carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
e. Unspecified gonadal	-	-	-	-	-	-	-	-	-	-	-	-	-	
XI CARCINOMA & MELANOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Adrenocortical	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Nasopharyngeal	-	-	-	-	-	-	-	-	-	-	-	-	-	
d. Melanoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
e. Skin carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
f. Other & unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII OTHER & UNSPECIFIED	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Other unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	

Please consult the quality indicators for this registry

GREECE, Paediatric specialized (1996-2009)

	Age group	Males	Females
Person-years	0	756 858	722 597
	1-4	3 032 051	2 898 279
	5-9	3 995 003	3 815 859
	10-14	4 328 200	4 102 317
Total	0-14	12 112 112	11 539 052
Average annual population	0-14	865 151	824 218

Please consult the quality indicators for this registry

GREECE, Paediatric specialized (2010-2014)

	Number of cases					Percentage		Incidence rates per million person-years					MV	DCO	
	Age group					0-14		Age-specific					Cumulative	%	%
	0	1-4	5-9	10-14	0-14	All	Group	0	1-4	5-9	10-14	0-14			
I LEUKAEMIA	22	236	123	98	479	54.7	100.0	41.9	106.5	45.8	36.4	61.8	882	100.0	0.0
a. Lymphoid	12	213	104	81	410	46.8	85.6	22.8	96.1	38.7	30.1	53.0	755	100.0	0.0
b. Acute myeloid	9	20	15	14	58	6.6	12.1	17.1	9.0	5.6	5.2	7.4	107	100.0	0.0
c. CMD	0	0	2	3	5	0.6	1.0	-	-	0.7	1.1	0.6	9	100.0	0.0
d. MDS & other	1	1	0	0	2	0.2	0.4	1.9	0.5	-	-	0.3	4	100.0	0.0
e. Unspecified	0	2	2	0	4	0.5	0.8	-	0.9	0.7	-	0.5	7	100.0	0.0
II LYMPHOMA & RELATED	0	23	37	71	131	15.0	100.0	-	10.4	13.8	26.4	15.4	243	100.0	0.0
a. Hodgkin	0	4	15	35	54	6.2	41.2	-	1.8	5.6	13.0	6.1	100	100.0	0.0
b. Non-Hodgkin except BL	0	6	14	21	41	4.7	31.3	-	2.7	5.2	7.8	4.8	76	100.0	0.0
c. Burkitt (BL)	0	13	8	15	36	4.1	27.5	-	5.9	3.0	5.6	4.4	66	100.0	0.0
d. Lymphoreticular	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-
e. Unspecified	0	0	0	0	0	-	-	-	-	-	-	-	-	-	-
III CNS NEOPLASMS †	12	103	89	47	251	28.7	100.0	22.8	46.5	33.2	17.5	32.0	463	88.0	0.0
a. Ependymoma	2	17	3	3	25	2.9	10.0	3.8	7.7	1.1	1.1	3.4	46	100.0	0.0
b. Astrocytoma	2	31	31	18	82	9.4	32.7	3.8	14.0	11.5	6.7	10.3	151	89.0	0.0
c. CNS embryonal	7	39	26	13	85	9.7	33.9	13.3	17.6	9.7	4.8	11.0	156	100.0	0.0
d. Other gliomas	1	4	14	6	25	2.9	10.0	1.9	1.8	5.2	2.2	3.0	46	28.0	0.0
e. Other specified	0	12	13	6	31	3.5	12.4	-	5.4	4.8	2.2	3.9	57	100.0	0.0
f. Unspecified CNS	0	0	2	1	3	0.3	1.2	-	-	0.7	0.4	0.3	6	0.0	0.0
IV NEUROBLASTOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. (Ganglio)neuroblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Peripheral nervous	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
V RETINOBLASTOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI RENAL TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Nephroblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Renal carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VII HEPATIC TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Hepatoblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Hepatic carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII BONE TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Osteosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Chondrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Ewing & related	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
IX SOFT TISSUE SARCOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Rhabdomyosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Fibrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Kaposi sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X GERM CELL TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. CNS germ cell ‡	2	1	2	8	13	1.5	100.0	3.8	0.5	0.7	3.0	1.5	24	46.2	0.0
b. Other extragonadal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Gonadal germ cell	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d. Gonadal carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Unspecified gonadal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XI CARCINOMA & MELANOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Adrenocortical	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
c. Nasopharyngeal	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
d. Melanoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e. Skin carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
f. Other & unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
XII OTHER & UNSPECIFIED	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
a. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
b. Other unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

† includes 77 non-malignant ‡ includes 1 non-malignant

Please consult the quality indicators for this registry

GREECE, Paediatric specialized (2010-2014)

	Males						M/F ratio		Females					
	Number of cases in age groups					ASR per million 0-14	0-14	Number of cases in age groups					ASR per million 0-14	
	0	1-4	5-9	10-14	0-14			0	1-4	5-9	10-14	0-14		
I LEUKAEMIA	14	130	81	50	275	69.3	1.3	8	106	42	48	204	53.9	
a. Lymphoid	8	119	69	43	239	60.3	1.4	4	94	35	38	171	45.3	
b. Acute myeloid	5	8	9	5	27	6.8	0.9	4	12	6	9	31	8.1	
c. CMD	0	0	1	2	3	0.7	1.5	0	0	1	1	2	0.5	
d. MDS & other	1	1	0	0	2	0.6	-	0	0	0	0	0	-	
e. Unspecified	0	2	2	0	4	1.0	-	0	0	0	0	0	-	
II LYMPHOMA & RELATED	0	20	24	46	90	20.9	2.2	0	3	13	25	41	9.6	
a. Hodgkin	0	3	8	21	32	7.1	1.5	0	1	7	14	22	5.1	
b. Non-Hodgkin except BL	0	5	9	14	28	6.5	2.2	0	1	5	7	13	3.1	
c. Burkitt (BL)	0	12	7	11	30	7.3	5.0	0	1	1	4	6	1.4	
d. Lymphoreticular	0	0	0	0	0	-	-	0	0	0	0	0	-	
e. Unspecified	0	0	0	0	0	-	-	0	0	0	0	0	-	
III CNS NEOPLASMS †	8	62	48	26	144	36.1	1.3	4	41	41	21	107	27.7	
a. Ependymoma	1	10	1	2	14	3.7	1.3	1	7	2	1	11	3.0	
b. Astrocytoma	0	18	17	8	43	10.7	1.1	2	13	14	10	39	10.0	
c. CNS embryonal	7	24	14	9	54	13.7	1.7	0	15	12	4	31	8.2	
d. Other gliomas	0	2	8	3	13	3.1	1.1	1	2	6	3	12	3.0	
e. Other specified	0	8	7	3	18	4.5	1.4	0	4	6	3	13	3.3	
f. Unspecified CNS	0	0	1	1	2	0.4	2.0	0	0	1	0	1	0.2	
IV NEUROBLASTOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. (Ganglio)neuroblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Peripheral nervous	-	-	-	-	-	-	-	-	-	-	-	-	-	
V RETINOBLASTOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	
VI RENAL TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Nephroblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Renal carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
VII HEPATIC TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Hepatoblastoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Hepatic carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
VIII BONE TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Osteosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Chondrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Ewing & related	-	-	-	-	-	-	-	-	-	-	-	-	-	
d. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	
e. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
IX SOFT TISSUE SARCOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Rhabdomyosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Fibrosarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Kaposi sarcoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
d. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	
e. Unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
X GERM CELL TUMOURS	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. CNS germ cell ‡	1	1	1	5	8	1.8	1.6	1	0	1	3	5	1.2	
b. Other extragonadal	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Gonadal germ cell	-	-	-	-	-	-	-	-	-	-	-	-	-	
d. Gonadal carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
e. Unspecified gonadal	-	-	-	-	-	-	-	-	-	-	-	-	-	
XI CARCINOMA & MELANOMA	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Adrenocortical	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Thyroid	-	-	-	-	-	-	-	-	-	-	-	-	-	
c. Nasopharyngeal	-	-	-	-	-	-	-	-	-	-	-	-	-	
d. Melanoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
e. Skin carcinoma	-	-	-	-	-	-	-	-	-	-	-	-	-	
f. Other & unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
XII OTHER & UNSPECIFIED	-	-	-	-	-	-	-	-	-	-	-	-	-	
a. Other specified	-	-	-	-	-	-	-	-	-	-	-	-	-	
b. Other unspecified	-	-	-	-	-	-	-	-	-	-	-	-	-	
TOTAL	-	-	-	-	-	-	-	-	-	-	-	-	-	

† includes 42 non-malignant in males and 35 non-malignant in females ‡ includes 1 non-malignant in males

Please consult the quality indicators for this registry

GREECE, Paediatric specialized (2010-2014)

	Age group	Males	Females
Person-years	0	269 478	255 878
	1-4	1 133 685	1 083 233
	5-9	1 373 057	1 311 328
	10-14	1 372 814	1 315 807
Total	0-14	4 149 034	3 966 246
Average annual population	0-14	829 807	793 249

Please consult the quality indicators for this registry

International Incidence of Childhood Cancer Volume III <http://iicc.iarc.fr/results>