

FRANCE, Gironde (2008-2012)

| | Number of cases | | | | | | | Percentage | | | | Incidence rates per million person-years | | | | | | | MV % 0-19 | DCO % 0-19 | | | |
|------------------------------------|-----------------|-----|-----|-------|-------|------|------|------------|-------|-------|-------|--|-------|-------|-------|-------|------------|-------|-----------------|------------------|-------|-------|------|
| | Age group | | | | | | | 0-14 | | 0-19 | | Age-specific | | | | | Cumulative | | | | | | |
| | 0 | 1-4 | 5-9 | 10-14 | 15-19 | 0-14 | 0-19 | All | Group | All | Group | 0 | 1-4 | 5-9 | 10-14 | 15-19 | 0-14 | ASR | | | 0-19 | 0-14 | 0-19 |
| I LEUKAEMIA | 4 | 15 | 16 | 15 | 16 | 50 | 66 | 24.0 | 100.0 | 20.8 | 100.0 | 48.7 | 45.1 | 37.7 | 35.0 | 34.7 | 40.1 | 38.9 | 593 | 766 | 100.0 | 0.0 | |
| a. Lymphoid | 1 | 13 | 15 | 12 | 8 | 41 | 49 | 19.7 | 82.0 | 15.5 | 74.2 | 12.2 | 39.1 | 35.3 | 28.0 | 17.3 | 32.6 | 29.2 | 486 | 572 | 100.0 | 0.0 | |
| b. Acute myeloid | 2 | 2 | 1 | 2 | 4 | 7 | 11 | 3.4 | 14.0 | 3.5 | 16.7 | 24.3 | 6.0 | 2.4 | 4.7 | 8.7 | 5.9 | 6.5 | 83 | 127 | 100.0 | 0.0 | |
| c. CMD | 0 | 0 | 0 | 1 | 3 | 1 | 4 | 0.5 | 2.0 | 1.3 | 6.1 | - | - | - | 2.3 | 6.5 | 0.7 | 2.0 | 12 | 44 | 100.0 | 0.0 | |
| d. MDS & other | 1 | 0 | 0 | 0 | 1 | 1 | 2 | 0.5 | 2.0 | 0.6 | 3.0 | 12.2 | - | - | - | 2.2 | 0.9 | 1.2 | 12 | 23 | 100.0 | 0.0 | |
| e. Unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| II LYMPHOMA & RELATED | 2 | 5 | 8 | 17 | 30 | 32 | 62 | 15.4 | 100.0 | 19.6 | 100.0 | 24.3 | 15.0 | 18.8 | 39.7 | 65.0 | 24.1 | 33.3 | 377 | 702 | 100.0 | 0.0 | |
| a. Hodgkin | 0 | 1 | 4 | 9 | 19 | 14 | 33 | 6.7 | 43.8 | 10.4 | 53.2 | - | 3.0 | 9.4 | 21.0 | 41.2 | 10.1 | 17.1 | 164 | 370 | 100.0 | 0.0 | |
| b. Non-Hodgkin except BL | 1 | 2 | 1 | 6 | 7 | 10 | 17 | 4.8 | 31.3 | 5.4 | 27.4 | 12.2 | 6.0 | 2.4 | 14.0 | 15.2 | 7.6 | 9.3 | 118 | 194 | 100.0 | 0.0 | |
| c. Burkitt (BL) | 0 | 0 | 3 | 2 | 4 | 5 | 9 | 2.4 | 15.6 | 2.8 | 14.5 | - | - | 7.1 | 4.7 | 8.7 | 3.6 | 4.8 | 59 | 102 | 100.0 | 0.0 | |
| d. Lymphoreticular | 1 | 2 | 0 | 0 | 0 | 3 | 3 | 1.4 | 9.4 | 0.9 | 4.8 | 12.2 | 6.0 | - | - | - | 2.8 | 2.2 | 36 | 36 | 100.0 | 0.0 | |
| e. Unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| III CNS NEOPLASMS † | 6 | 15 | 13 | 20 | 8 | 54 | 62 | 26.0 | 100.0 | 19.6 | 100.0 | 73.0 | 45.1 | 30.6 | 46.7 | 17.3 | 43.0 | 37.3 | 640 | 727 | 80.6 | 0.0 | |
| a. Ependymoma | 1 | 2 | 1 | 1 | 0 | 5 | 5 | 2.4 | 9.3 | 1.6 | 8.1 | 12.2 | 6.0 | 2.4 | 2.3 | - | 4.2 | 3.3 | 60 | 60 | 100.0 | 0.0 | |
| b. Astrocytoma | 0 | 6 | 6 | 6 | 3 | 18 | 21 | 8.7 | 33.3 | 6.6 | 33.9 | - | 18.1 | 14.1 | 14.0 | 6.5 | 14.2 | 12.5 | 213 | 246 | 85.7 | 0.0 | |
| c. CNS embryonal | 3 | 1 | 3 | 2 | 0 | 9 | 9 | 4.3 | 16.7 | 2.8 | 14.5 | 36.5 | 3.0 | 7.1 | 4.7 | - | 7.4 | 5.7 | 107 | 107 | 100.0 | 0.0 | |
| d. Other gliomas | 0 | 3 | 2 | 6 | 0 | 11 | 11 | 5.3 | 20.4 | 3.5 | 17.7 | - | 9.0 | 4.7 | 14.0 | - | 8.4 | 6.5 | 130 | 130 | 54.5 | 0.0 | |
| e. Other specified | 2 | 2 | 1 | 4 | 4 | 9 | 13 | 4.3 | 16.7 | 4.1 | 21.0 | 24.3 | 6.0 | 2.4 | 9.3 | 8.7 | 7.2 | 7.5 | 107 | 150 | 92.3 | 0.0 | |
| f. Unspecified CNS | 0 | 1 | 0 | 1 | 1 | 2 | 3 | 1.0 | 3.7 | 0.9 | 4.8 | - | 3.0 | - | 2.3 | 2.2 | 1.6 | 1.7 | 24 | 35 | 0.0 | 0.0 | |
| IV NEUROBLASTOMA | 7 | 9 | 0 | 1 | 0 | 17 | 17 | 8.2 | 100.0 | 5.4 | 100.0 | 85.2 | 27.1 | - | 2.3 | - | 15.6 | 12.1 | 205 | 205 | 100.0 | 0.0 | |
| a. (Ganglio)neuroblastoma | 7 | 9 | 0 | 1 | 0 | 17 | 17 | 8.2 | 100.0 | 5.4 | 100.0 | 85.2 | 27.1 | - | 2.3 | - | 15.6 | 12.1 | 205 | 205 | 100.0 | 0.0 | |
| b. Peripheral nervous | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| V RETINOBLASTOMA | 2 | 3 | 0 | 0 | 0 | 5 | 5 | 2.4 | 100.0 | 1.6 | 100.0 | 24.3 | 9.0 | - | - | - | 4.7 | 3.6 | 60 | 60 | 60.0 | 0.0 | |
| VI RENAL TUMOURS | 2 | 9 | 3 | 0 | 2 | 14 | 16 | 6.7 | 100.0 | 5.0 | 100.0 | 24.3 | 27.1 | 7.1 | - | 4.3 | 12.5 | 10.7 | 168 | 190 | 100.0 | 0.0 | |
| a. Nephroblastoma | 2 | 9 | 3 | 0 | 0 | 14 | 14 | 6.7 | 100.0 | 4.4 | 87.5 | 24.3 | 27.1 | 7.1 | - | - | 12.5 | 9.7 | 168 | 168 | 100.0 | 0.0 | |
| b. Renal carcinoma | 0 | 0 | 0 | 0 | 2 | 0 | 2 | - | - | 0.6 | 12.5 | - | - | - | - | 4.3 | - | 1.0 | - | 22 | 22 | 100.0 | 0.0 |
| c. Unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| VII HEPATIC TUMOURS | 0 | 2 | 0 | 0 | 0 | 2 | 2 | 1.0 | 100.0 | 0.6 | 100.0 | - | 6.0 | - | - | - | 1.9 | 1.4 | 24 | 24 | 100.0 | 0.0 | |
| a. Hepatoblastoma | 0 | 2 | 0 | 0 | 0 | 2 | 2 | 1.0 | 100.0 | 0.6 | 100.0 | - | 6.0 | - | - | - | 1.9 | 1.4 | 24 | 24 | 100.0 | 0.0 | |
| b. Hepatic carcinoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| c. Unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| VIII BONE TUMOURS | 0 | 0 | 0 | 5 | 10 | 5 | 15 | 2.4 | 100.0 | 4.7 | 100.0 | - | - | - | 11.7 | 21.7 | 3.4 | 7.5 | 58 | 167 | 100.0 | 0.0 | |
| a. Osteosarcoma | 0 | 0 | 0 | 2 | 4 | 2 | 6 | 1.0 | 40.0 | 1.9 | 40.0 | - | - | - | 4.7 | 8.7 | 1.4 | 3.0 | 23 | 67 | 100.0 | 0.0 | |
| b. Chondrosarcoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| c. Ewing & related | 0 | 0 | 0 | 2 | 6 | 2 | 8 | 1.0 | 40.0 | 2.5 | 53.3 | - | - | - | 4.7 | 13.0 | 1.4 | 4.0 | 23 | 88 | 100.0 | 0.0 | |
| d. Other specified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| e. Unspecified | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 0.5 | 20.0 | 0.3 | 6.7 | - | - | - | 2.3 | - | 0.7 | 0.5 | 12 | 12 | 100.0 | 0.0 | |
| IX SOFT TISSUE SARCOMA | 2 | 2 | 2 | 2 | 6 | 8 | 14 | 3.8 | 100.0 | 4.4 | 100.0 | 24.3 | 6.0 | 4.7 | 4.7 | 13.0 | 6.6 | 8.0 | 95 | 160 | 100.0 | 0.0 | |
| a. Rhabdomyosarcoma | 1 | 2 | 1 | 2 | 1 | 6 | 7 | 2.9 | 75.0 | 2.2 | 50.0 | 12.2 | 6.0 | 2.4 | 4.7 | 2.2 | 4.9 | 4.3 | 71 | 82 | 100.0 | 0.0 | |
| b. Fibrosarcoma | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0.5 | 12.5 | 0.3 | 7.1 | 12.2 | - | - | - | - | 0.9 | 0.7 | 12 | 12 | 100.0 | 0.0 | |
| c. Kaposi sarcoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| d. Other specified | 0 | 0 | 1 | 0 | 5 | 1 | 6 | 0.5 | 12.5 | 1.9 | 42.9 | - | - | 2.4 | - | 10.8 | 0.8 | 3.0 | 12 | 66 | 100.0 | 0.0 | |
| e. Unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| X GERM CELL TUMOURS | 1 | 2 | 1 | 5 | 8 | 9 | 17 | 4.3 | 100.0 | 5.4 | 100.0 | 12.2 | 6.0 | 2.4 | 11.7 | 17.3 | 7.0 | 9.3 | 106 | 193 | 100.0 | 0.0 | |
| a. CNS germ cell ‡ | 0 | 2 | 1 | 3 | 0 | 6 | 6 | 2.9 | 66.7 | 1.9 | 35.3 | - | 6.0 | 2.4 | 7.0 | - | 4.7 | 3.6 | 71 | 71 | 100.0 | 0.0 | |
| b. Other extragonadal | 1 | 0 | 0 | 0 | 2 | 1 | 3 | 0.5 | 11.1 | 0.9 | 17.6 | 12.2 | - | - | - | 4.3 | 0.9 | 1.7 | 12 | 34 | 100.0 | 0.0 | |
| c. Gonadal germ cell | 0 | 0 | 0 | 2 | 5 | 2 | 7 | 1.0 | 22.2 | 2.2 | 41.2 | - | - | - | 4.7 | 10.8 | 1.4 | 3.5 | 23 | 78 | 100.0 | 0.0 | |
| d. Gonadal carcinoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| e. Unspecified gonadal | 0 | 0 | 0 | 0 | 1 | 0 | 1 | - | - | 0.3 | 5.9 | - | - | - | - | 2.2 | - | 0.5 | - | 11 | 11 | 100.0 | 0.0 |
| XI CARCINOMA & MELANOMA | 0 | 1 | 1 | 10 | 29 | 12 | 41 | 5.8 | 100.0 | 12.9 | 100.0 | - | 3.0 | 2.4 | 23.4 | 62.9 | 8.5 | 20.7 | 141 | 455 | 100.0 | 0.0 | |
| a. Adrenocortical | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| b. Thyroid | 0 | 1 | 1 | 6 | 15 | 8 | 23 | 3.8 | 66.7 | 7.3 | 56.1 | - | 3.0 | 2.4 | 14.0 | 32.5 | 5.8 | 11.8 | 94 | 256 | 100.0 | 0.0 | |
| c. Nasopharyngeal | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 0.5 | 8.3 | 0.6 | 4.9 | - | - | - | 2.3 | 2.2 | 0.7 | 1.0 | 12 | 23 | 100.0 | 0.0 | |
| d. Melanoma | 0 | 0 | 0 | 0 | 3 | 0 | 3 | - | - | 0.9 | 7.3 | - | - | - | - | 6.5 | - | 1.5 | - | 33 | 33 | 100.0 | 0.0 |
| e. Skin carcinoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| f. Other & unspecified | 0 | 0 | 0 | 3 | 10 | 3 | 13 | 1.4 | 25.0 | 4.1 | 31.7 | - | - | - | 7.0 | 21.7 | 2.0 | 6.5 | 35 | 143 | 100.0 | 0.0 | |
| XII OTHER & UNSPECIFIED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| a. Other specified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| b. Other unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | - | - | - | - | - | - | - | - | - | - | - | |
| TOTAL | 26 | 63 | 44 | 75 | 109 | 208 | 317 | 100.0 | 100.0 | 100.0 | 100.0 | 316.4 | 189.5 | 103.6 | 175.2 | 236.2 | 167.4 | 182.9 | 2467 | 3648 | 95.6 | 0.0 | |

† includes 29 non-malignant ‡ includes 3 non-malignant

Please consult the quality indicators for this registry

FRANCE, Gironde (2008-2012)

| | Males | | | | | | | | | | M/F ratio | | Females | | | | | | | | | |
|------------------------------------|-------------------------------|-----|-----|-------|-------|------|------|-----------------|-------|------|-----------|------|-------------------------------|-----|-----|-------|-------|------|-------|-----------------|------|------|
| | Number of cases in age groups | | | | | | | | | | 0-14 | 0-19 | Number of cases in age groups | | | | | | | | | |
| | 0 | 1-4 | 5-9 | 10-14 | 15-19 | 0-14 | 0-19 | ASR per million | 0-14 | 0-19 | | | 0 | 1-4 | 5-9 | 10-14 | 15-19 | 0-14 | 0-19 | ASR per million | 0-14 | 0-19 |
| I LEUKAEMIA | 1 | 11 | 9 | 7 | 8 | 28 | 36 | 44.5 | 42.3 | 1.3 | 1.2 | 3 | 4 | 7 | 8 | 8 | 22 | 30 | 35.4 | 35.2 | | |
| a. Lymphoid | 1 | 9 | 8 | 7 | 6 | 25 | 31 | 39.4 | 36.4 | 1.6 | 1.7 | 0 | 4 | 7 | 5 | 2 | 16 | 18 | 25.5 | 21.7 | | |
| b. Acute myeloid | 0 | 2 | 1 | 0 | 2 | 3 | 5 | 5.1 | 5.9 | 0.8 | 0.8 | 2 | 0 | 0 | 2 | 2 | 4 | 6 | 6.6 | 7.1 | | |
| c. CMD | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | 0.0 | 0.0 | 0 | 0 | 0 | 1 | 3 | 1 | 4 | 1.4 | 4.0 | | |
| d. MDS & other | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | 0.0 | 0.0 | 1 | 0 | 0 | 0 | 1 | 1 | 2 | 1.9 | 2.4 | | |
| e. Unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| II LYMPHOMA & RELATED | 2 | 5 | 6 | 11 | 17 | 24 | 41 | 36.2 | 44.7 | 3.0 | 2.0 | 0 | 0 | 2 | 6 | 13 | 8 | 21 | 11.5 | 21.6 | | |
| a. Hodgkin | 0 | 1 | 3 | 6 | 11 | 10 | 21 | 14.2 | 21.7 | 2.5 | 1.8 | 0 | 0 | 1 | 3 | 8 | 4 | 12 | 5.7 | 12.2 | | |
| b. Non-Hodgkin except BL | 1 | 2 | 1 | 3 | 2 | 7 | 9 | 10.9 | 10.4 | 2.3 | 1.1 | 0 | 0 | 0 | 3 | 5 | 3 | 8 | 4.2 | 8.1 | | |
| c. Burkitt (BL) | 0 | 0 | 2 | 2 | 4 | 4 | 8 | 5.6 | 8.2 | 4.0 | 8.0 | 0 | 0 | 1 | 0 | 0 | 1 | 1 | 1.6 | 1.2 | | |
| d. Lymphoreticular | 1 | 2 | 0 | 0 | 0 | 3 | 3 | 5.5 | 4.3 | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| e. Unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| III CNS NEOPLASMS † | 5 | 6 | 7 | 12 | 7 | 30 | 37 | 46.4 | 42.8 | 1.3 | 1.5 | 1 | 9 | 6 | 8 | 1 | 24 | 25 | 39.6 | 31.6 | | |
| a. Ependymoma | 1 | 1 | 1 | 1 | 0 | 4 | 4 | 6.5 | 5.0 | 4.0 | 4.0 | 0 | 1 | 0 | 0 | 0 | 1 | 1 | 1.9 | 1.5 | | |
| b. Astrocytoma | 0 | 1 | 4 | 4 | 3 | 9 | 12 | 13.0 | 13.0 | 1.0 | 1.3 | 0 | 5 | 2 | 2 | 0 | 9 | 9 | 15.4 | 12.0 | | |
| c. CNS embryonal | 2 | 1 | 1 | 2 | 0 | 6 | 6 | 9.6 | 7.5 | 2.0 | 2.0 | 1 | 0 | 2 | 0 | 0 | 3 | 3 | 5.0 | 3.9 | | |
| d. Other gliomas | 0 | 1 | 0 | 3 | 0 | 4 | 4 | 5.8 | 4.5 | 0.6 | 0.6 | 0 | 2 | 2 | 3 | 0 | 7 | 7 | 11.1 | 8.6 | | |
| e. Other specified | 2 | 2 | 1 | 2 | 3 | 7 | 10 | 11.5 | 11.8 | 3.5 | 3.3 | 0 | 0 | 0 | 2 | 1 | 2 | 3 | 2.8 | 3.1 | | |
| f. Unspecified CNS | 0 | 0 | 0 | 0 | 1 | 0 | 1 | - | 1.0 | 0.0 | 0.5 | 0 | 1 | 0 | 1 | 0 | 2 | 2 | 3.3 | 2.6 | | |
| IV NEUROBLASTOMA | 3 | 4 | 0 | 0 | 0 | 7 | 7 | 12.8 | 9.9 | 0.7 | 0.7 | 4 | 5 | 0 | 1 | 0 | 10 | 10 | 18.5 | 14.4 | | |
| a. (Ganglio)neuroblastoma | 3 | 4 | 0 | 0 | 0 | 7 | 7 | 12.8 | 9.9 | 0.7 | 0.7 | 4 | 5 | 0 | 1 | 0 | 10 | 10 | 18.5 | 14.4 | | |
| b. Peripheral nervous | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| V RETINOBLASTOMA | 2 | 1 | 0 | 0 | 0 | 3 | 3 | 5.5 | 4.3 | 1.5 | 1.5 | 0 | 2 | 0 | 0 | 0 | 2 | 2 | 3.8 | 2.9 | | |
| VI RENAL TUMOURS | 1 | 5 | 1 | 0 | 1 | 7 | 8 | 12.5 | 10.6 | 1.0 | 1.0 | 1 | 4 | 2 | 0 | 1 | 7 | 8 | 12.6 | 10.8 | | |
| a. Nephroblastoma | 1 | 5 | 1 | 0 | 0 | 7 | 7 | 12.5 | 9.7 | 1.0 | 1.0 | 1 | 4 | 2 | 0 | 0 | 7 | 7 | 12.6 | 9.8 | | |
| b. Renal carcinoma | 0 | 0 | 0 | 0 | 1 | 0 | 1 | - | 1.0 | - | 1.0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | - | 1.0 | | |
| c. Unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| VII HEPATIC TUMOURS | 0 | 2 | 0 | 0 | 0 | 2 | 2 | 3.7 | 2.8 | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| a. Hepatoblastoma | 0 | 2 | 0 | 0 | 0 | 2 | 2 | 3.7 | 2.8 | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| b. Hepatic carcinoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| c. Unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| VIII BONE TUMOURS | 0 | 0 | 0 | 2 | 6 | 2 | 8 | 2.6 | 7.9 | 0.7 | 1.1 | 0 | 0 | 0 | 3 | 4 | 3 | 7 | 4.2 | 7.1 | | |
| a. Osteosarcoma | 0 | 0 | 0 | 0 | 3 | 0 | 3 | - | 2.9 | 0.0 | 1.0 | 0 | 0 | 0 | 2 | 1 | 2 | 3 | 2.8 | 3.1 | | |
| b. Chondrosarcoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| c. Ewing & related | 0 | 0 | 0 | 1 | 3 | 1 | 4 | 1.3 | 4.0 | 1.0 | 1.0 | 0 | 0 | 0 | 1 | 3 | 1 | 4 | 1.4 | 4.0 | | |
| d. Other specified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| e. Unspecified | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 1.3 | 1.0 | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| IX SOFT TISSUE SARCOMA | 2 | 1 | 2 | 1 | 2 | 6 | 8 | 9.8 | 9.5 | 3.0 | 1.3 | 0 | 1 | 0 | 1 | 4 | 2 | 6 | 3.3 | 6.5 | | |
| a. Rhabdomyosarcoma | 1 | 1 | 1 | 1 | 1 | 4 | 5 | 6.5 | 6.0 | 2.0 | 2.5 | 0 | 1 | 0 | 1 | 0 | 2 | 2 | 3.3 | 2.6 | | |
| b. Fibrosarcoma | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 1.8 | 1.4 | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| c. Kaposi sarcoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| d. Other specified | 0 | 0 | 1 | 0 | 1 | 1 | 2 | 1.5 | 2.1 | - | 0.5 | 0 | 0 | 0 | 0 | 4 | 0 | 4 | - | 3.9 | | |
| e. Unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| X GERM CELL TUMOURS | 1 | 1 | 0 | 3 | 5 | 5 | 10 | 7.6 | 10.8 | 1.3 | 1.4 | 0 | 1 | 1 | 2 | 3 | 4 | 7 | 6.3 | 7.8 | | |
| a. CNS germ cell ‡ | 0 | 1 | 0 | 3 | 0 | 4 | 4 | 5.8 | 4.5 | 2.0 | 2.0 | 0 | 1 | 1 | 0 | 0 | 2 | 2 | 3.5 | 2.7 | | |
| b. Other extragonadal | 1 | 0 | 0 | 0 | 1 | 1 | 2 | 1.8 | 2.4 | - | 2.0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | - | 1.0 | | |
| c. Gonadal germ cell | 0 | 0 | 0 | 0 | 4 | 0 | 4 | - | 3.9 | 0.0 | 1.3 | 0 | 0 | 0 | 2 | 1 | 2 | 3 | 2.8 | 3.1 | | |
| d. Gonadal carcinoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| e. Unspecified gonadal | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | 0.0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | - | 1.0 | | |
| XI CARCINOMA & MELANOMA | 0 | 0 | 0 | 4 | 10 | 4 | 14 | 5.3 | 13.9 | 0.5 | 0.5 | 0 | 1 | 1 | 6 | 19 | 8 | 27 | 11.8 | 27.7 | | |
| a. Adrenocortical | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| b. Thyroid | 0 | 0 | 0 | 2 | 3 | 2 | 5 | 2.6 | 5.0 | 0.3 | 0.3 | 0 | 1 | 1 | 4 | 12 | 6 | 18 | 9.0 | 18.7 | | |
| c. Nasopharyngeal | 0 | 0 | 0 | 1 | 1 | 1 | 2 | 1.3 | 2.0 | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| d. Melanoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | 0.0 | 0 | 0 | 0 | 0 | 3 | 0 | 3 | - | 2.9 | | |
| e. Skin carcinoma | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| f. Other & unspecified | 0 | 0 | 0 | 1 | 6 | 1 | 7 | 1.3 | 6.9 | 0.5 | 1.2 | 0 | 0 | 0 | 2 | 4 | 2 | 6 | 2.8 | 6.1 | | |
| XII OTHER & UNSPECIFIED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| a. Other specified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| b. Other unspecified | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | - | - | 0 | 0 | 0 | 0 | 0 | 0 | 0 | - | - | | |
| TOTAL | 17 | 36 | 25 | 40 | 56 | 118 | 174 | 186.9 | 199.5 | 1.3 | 1.2 | 9 | 27 | 19 | 35 | 53 | 90 | 143 | 147.0 | 165.6 | | |

† includes 18 non-malignant in males and 11 non-malignant in females ‡ includes 1 non-malignant in males and 2 non-malignant in females

Please consult the quality indicators for this registry

FRANCE, Gironde (2008-2012)

| | Age group | Males | Females |
|---------------------------|-----------|---------|---------|
| Person-years | 0 | 42 085 | 40 077 |
| | 1-4 | 169 069 | 163 325 |
| | 5-9 | 218 481 | 206 289 |
| | 10-14 | 219 741 | 208 409 |
| | 15-19 | 230 549 | 230 859 |
| Total | 0-14 | 649 376 | 618 100 |
| | 0-19 | 879 925 | 848 959 |
| Average annual population | 0-14 | 129 875 | 123 620 |
| | 0-19 | 175 985 | 169 792 |

Please consult the quality indicators for this registry